```
FILE 'REGISTRY' ENTERED AT 13:21:47 ON 14 MAY 2004
L1
              1 S ISOQUERCITRIN/CN
L2
              1 S QUERCITRIN/CN
L3
              2 S ASCORBIC ACID/CN
L4
             1 S HESPERITIN/CN
     FILE 'JAPIO' ENTERED AT 13:26:01 ON 14 MAY 2004
     FILE 'USPATFULL, CAPLUS, KOSMET, IPA, JAPIO' ENTERED AT 13:26:11 ON 14
     MAY 2004
L5
          1365 S L1 OR ISOQUERCITRIN
          2277 S L2 OR QUERCITRIN
L6
L7
           950 S L4 OR HESPERITIN
_{\rm L8}
         145681 S L3 OR (ASCORBIC ACID) OR (VITAMIN C)
L9
        218022 S VITAMIN
L10
         33164 S CAROTENE
L11
             85 S L5 (10W) (L6 OR L7)
L12
             8 S L5 (10W) L9
L13
             5 S L5 (10W) L8
L14
             0 S L5 (10W) L10
L15
            45 S L5 AND L10
L16
            90 S L5 AND L8
L17
           82 DUPLICATE REMOVE L11 (3 DUPLICATES REMOVED)
L18
            8 DUPLICATE REMOVE L12 (0 DUPLICATES REMOVED)
L19
            5 DUPLICATE REMOVE L13 (0 DUPLICATES REMOVED)
L20
            42 DUPLICATE REMOVE L15 (3 DUPLICATES REMOVED)
L21
            85 DUPLICATE REMOVE L16 (5 DUPLICATES REMOVED)
           11 S L18 OR L19
L23
            52 S L21 NOT L20
L24
            47 S L23 NOT L22
```

L22 ANSWER 4 OF 11 USPATFULL on STN

ACCESSION NUMBER:

2002:133249 USPATFULL

TITLE:

Method for combating summer eczema and malanders

INVENTOR(S):

Koniger, Helmut, Munchen, GERMANY, FEDERAL REPUBLIC OF

NUMBER KIND DATE \_\_\_\_\_\_\_ US 2002068099 A1 PATENT INFORMATION: 20020606 US 6589571 В2 20030708 US 2001-961553 APPLICATION INFO.: A1 20010920 (9)

RELATED APPLN. INFO.:

Continuation-in-part of Ser. No. US 1999-374754, filed

on 13 Aug 1999, ABANDONED

NUMBER DATE PRIORITY INFORMATION: DE 1998-19855717 19980813

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE:

BAKER & DANIELS, 205 W. JEFFERSON BOULEVARD, SUITE

250,

SOUTH BEND, IN, 46601

NUMBER OF CLAIMS: 10 EXEMPLARY CLAIM: 1

LINE COUNT: 286

SUMM . . arvense are silicic acid (partly in the soluble form), equisetonin (saponin), a bitter substance, small amounts of

3-methoxypyridine, nicotine, palustrin, isoquercitrin,

galueteolin, dimethylsulfone, resin, fat, aconitic acid and other

acids,

vitamin C, enzymes, and polyenoic acids.

ER 3 OF 11 USPATFULL on STN

ACCESSION NUMBER:

2002:272521 USPATFULL

TITLE:

Methods of treating Alzheimer's disease and other amyloidoses using Hypericum perforatum and derivatives

thereof

INVENTOR(S):

Castillo, Gerardo, Seattle, WA, UNITED STATES Snow, Alan D., Lynnwood, WA, UNITED STATES

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2002150637	A1	20021017	
ADDITORMIAN THE	TTG 0000 10000F	2 1	2000000	

APPLICATION INFO.:

US 2002-108235 A1 20020326 (10)

RELATED APPLN. INFO.:

Division of Ser. No. US 2000-525787, filed on 15 Mar

2000, ABANDONED

DOCUMENT TYPE: FILE SEGMENT:

Utility APPLICATION

LEGAL REPRESENTATIVE:

PATRICK M. DWYER, PROTEOTECH, INC., SUITE 114, 1818

WESTLAKE AVENUE N., SEATTLE, WA, 98109

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

6 1

NUMBER OF DRAWINGS:

6 Drawing Page(s)

LINE COUNT:

1661

SUMM

. . . from the group consisting of, but not limited to, flavanoids, xanthones, proanthocyanidins, dianthrones, tannins, monoterpenes, hyperoside, biapigenin, rutin, quercetin, quercitin, isoquercitrin, pseudohypericin, hyperforin, procyanidines,

amentoflavine, luteolin, pectin, vitamin A, and

vitamin C.

SUMM

. . . from the group consisting of but not limited to, flavanoids, xanthones, proanthocyanidins, dianthrones, tannins, monoterpenes, hyperoside, biapigenin, rutin, quercetin, quercitin, isoquercitrin, pseudohypericin, hyperforin, procyanidines, amentoflavine, luteolin, pectin, vitamin A, and vitamin C.

L24 ANSWER 27 OF 47 USPATFULL on STN

ACCESSION NUMBER: 80:33159 USPATFULL

INVENTOR(S):

TITLE:

Benzopyran glycoside acetals and ketals Fauran, Francois, Castanet-Tolosan, France

Feniou, Claude, Pessac, France

Mosser, Jacqueline, St-Medard-en-Jalles, France

Thibault, Annie, Le Bouscat, France Andre, Claude, Fontaine, France Prat, Gisele, Talence, France

PATENT ASSIGNEE(S):

Laboratoires Sarget, Merignac, France (non-U.S.

corporation)

NUMBER KIND DATE US 4211772 19800708 US 1978-911634 19780601 PATENT INFORMATION: APPLICATION INFO.: 19780601 (5)

DATE NUMBER PRIORITY INFORMATION: FR 1977-16817 19770602 FR 1978-13807 19780510 FR 1978-13808 19780510

Utility DOCUMENT TYPE: FILE SEGMENT: Granted

PRIMARY EXAMINER: Brown, Johnnie R. ASSISTANT EXAMINER: Hazel, Blondel

LEGAL REPRESENTATIVE: Oblon, Fisher, Spivak, McClelland & Maier NUMBER OF CLAIMS:

1,8 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 2 Drawing Figure(s); 2 Drawing Page(s)

783 LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

DETD . . . Starting carbonyl No. Glycoside compound M.P., .degree.C. 4 ANSWER 26 OF 47 USPATFULL on STN

ACCESSION NUMBER: 88:62483 USPATFULL

TITLE: Modification of plant extracts from zygophyllaceae and

pharmaceutical use therefor

INVENTOR(S): Jordan, Russell T., Fort Collins, CO, United States

Chemex Pharmaceuticals, Inc., Denver, CO, United PATENT ASSIGNEE(S):

States

(U.S. corporation)

NUMBER KIND DATE \_\_\_\_\_ US 4774229 19880927 PATENT INFORMATION: US 1986-860654 19860507 (6)

APPLICATION INFO.:

Continuation of Ser. No. US 1982-365784, filed on 5 RELATED APPLN. INFO.:

Apr

1982, now abandoned which is a continuation-in-part of

Ser. No. US 1979-49886, filed on 19 Jun 1979, now

abandoned

DOCUMENT TYPE: Utility FILE SEGMENT: Granted

Rollins, John PRIMARY EXAMINER: Kenyon & Kenyon LEGAL REPRESENTATIVE:

NUMBER OF CLAIMS: 21 EXEMPLARY CLAIM: 1 835 LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

. . . kaempferol, luteolin 7,3'-dimethyl ether, luteolin 3'-methyl ether, apigenin 7-methyl ether, apigenin, dihydromyricetin 3,'5'-dimethyl ether, vicenin, chrysoeriol 6,8-di-C-glucoside, kaempferol 3-0-rhamnosylglucoside (nicotiflorin), isoquercitrin

, rutin and isorhamnetin 30-rhamnosylglucoside.

DETD . . . with an ointment comprised of about 54 grams of zinc chloride, 5 grams quercetin, 10 grams NDGA, about 10 grams ascorbic acid, about 20 grams of water and about 8 grams of polyethylene glycol.

L24 ANSWER 23 OF 47 USPATFULL on STN

ACCESSION NUMBER: 2000:117288 USPATFULL

TITLE: Pharmaceutical grade St. John's Wort

Khwaja, Tasneem A., Corona Del Mar, CA, United States INVENTOR(S):

Friedman, Elliot P., Montecito, CA, United States

PATENT ASSIGNEE(S): University of Southern California, Los Angeles, CA,

United States (U.S. corporation)

Pharmaprint Inc., Irvine, CA, United States (U.S.

corporation)

NUMBER KIND DATE -----

US 6113907 PATENT INFORMATION:

20000905 US 1997-956602 APPLICATION INFO.: 19971023 (8)

Continuation-in-part of Ser. No. US 1997-838198, filed RELATED APPLN. INFO.:

on 15 Apr 1997, now abandoned

DOCUMENT TYPE: Utility FILE SEGMENT: Granted

Gitomer, Ralph PRIMARY EXAMINER: LEGAL REPRESENTATIVE: Lyon & Lyon LLP

NUMBER OF CLAIMS: 2 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 6 Drawing Figure(s); 6 Drawing Page(s)

LINE COUNT: 3067

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

. . . the aerial portion of the plant. These include the following flavonols; kaempferol, luteolin, myricetin, quercetin (2%); flavone

glycosides; quercitrin (0.524-0.3%), isoquercitrin [0.3%]

(Dorossiev, 1985, Pharmazie 585-586; Koget, 1972, Khimiya Prirodnykh Soedinea 242-243), hyperin [0.7-1.1% hyperoside] (List and Horhammer,

1993), I3', II8-biapigenin.

. . . in g %DETD

Plant Part Constituent Concentration

Total Flavonoids

flowers 11.7

Total Flavonoids

stems and leaves

L24 ANSWER 21 OF 47 USPATFULL on STN

ACCESSION NUMBER: 2001:147452 USPATFULL

TITLE: Topical delivery systems for active agents
INVENTOR(S): Niemiec, Susan M., Yardley, PA, United States
Wang, Jonas C. T., Robbinsville, NJ, United States
Wisniewski, Stephen J., Doylestown, PA, United States

Stenn, Kurt S., Princeton, NJ, United States Lu, Gwang Wei, Plainsboro, NJ, United States

PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., Skillman,

NJ, United States (U.S. corporation)

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Criares, Theodore J.

ASSISTANT EXAMINER: Kim, Jennifer

NUMBER OF CLAIMS: 25 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 12 Drawing Figure(s); 9 Drawing Page(s)

LINE COUNT: 1844

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

DETD Examples of skin lightening agents nonexclusively include hydroquinone, catechol and its derivatives, ascorbic acid and its derivatives, and mixtures thereof.

DETD . . . hydrochloride, tricetylammonium chloride, polyquaternium 10, panthenol, panthenol triacetate, vitamin A and derivatives thereof (e.g., tretinoin), vitamin B and derivatives thereof, vitamin C and derivatives thereof, vitamin D and derivatives thereof, vitamin E and derivatives thereof, vitamin K and derivatives thereof, keratin, lysine, . . .

DETD . . . ("P-1075") as disclosed in U.S. Pat. No. 5,244,664, which is incorporated herein by reference; vitamins, such as vitamin E and vitamin C, and derivatives thereof such as vitamin E acetate and vitamin C palmitate; hormones, such as erythropoietin, prostaglandins, such as protaglandin E1 and protaglandin

F2-alpha; fatty acids, such as oleic acid; diluretics. . . hexachlorobenzene; hydantoin; nifedipine; penicillamine; phenothaiazines; pinacidil; psoralens, verapamil; zidovudine; alpha-glucosylated rutin having at least one of the following rutins: quercetin, isoquercitrin, hesperidin, naringin, and methylhesperidin, and flavonoids and transglycosidated derivatives thereof which are all disclosed in JP 7002677, which is incorporated.

DETD . . . and zinc oxide; organic sunscreens such as octyl-methyl cinnamates and derivatives thereof; retinoids; vitamins such as vitamin E, vitamin A, vitamin C, vitamin B, and derivatives thereof such as vitamin E acetate, vitamin C palmitate, and the like; antioxidants including alpha hydroxy acid such as glycolic acid, citric acid, lactic acid

L24 ANSWER 20 OF 47 USPATFULL on STN

ACCESSION NUMBER:

2001:182576 USPATFULL

TITLE:

Flavonoide esters and their use notably in cosmetics

INVENTOR(S):

Perrier, Eric, Les Cotes D'Arey, France

Mariotte, Anne-Marie, St. Simeon De Bressieux, France

Boumendjel, Ahcene, La Tronche, France Bresson-Rival, Delphine, Lyon, France

PATENT ASSIGNEE(S):

COLETICA, Lyon, France (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2001031735	A1	20011018	
	US 6471973	B2	20021029	
APPLICATION INFO.:	US 2001-828986	A1	20010410	(9)

RELATED APPLN. INFO.:

Division of Ser. No. US 1998-113158, filed on 10 Jul

1998, GRANTED, Pat. No. US 6235294

DATE NUMBER FR 1998-6194 PRIORITY INFORMATION: 19980515

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE:

ARMSTRONG, WESTERMAN, HATTORI,, MCLELAND & NAUGHTON,

LLP, 1725 K STREET, NW, SUITE 1000, WASHINGTON, DC,

20006 54

NUMBER OF CLAIMS: EXEMPLARY CLAIM: LINE COUNT:

1 1217

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

. . . certain manifestations of scurvy which are cured by the administration of lemon juice are not cured by the administration of vitamin C alone. It was therefore postulated that ascorbic acid could only act in association with a factor "P", identified with flavonoids. Often anti-inflammatories (apigenol, chrysin, taxifolin, 8-glycosylhypolaetin, gossypin, etc.),.

[0012] They are active in the regeneration of ascorbic SUMM acid in vivo via glutathione. More generally, flavonoids are scavengers of free radicals formed under various circumstances:

SUMM . . . monoacid is selected from the group consisting of butyric acid (C4:0), valeric acid (C5:0), hexanoic acid (C6:0), sorbic acid (C6:2), ascorbic acid, lauric acid (C12:0), palmitic acid (C16:0), stearic acid (C18:0), oleic acid (C18:1), linoleic acid (C18:2), linolenic acid (C18:3), undecylenic acid.

SUMM [0084] Insofar as this organic monoacid, for example sorbic acid or ascorbic acid, has its own activity, the invention enables the activity of this acid to be combined with the activity of the.

CLMWhat is claimed is:

. monoacid is selected from the group consisting of butyric acid (C4:0), valeric acid (C5:0), hexanoic acid (C6:0), sorbic acid (C6:2), ascorbic acid, lauric acid (C12), palmitic acid (C16:0), stearic acid (C18:0), oleic acid (C18:1), linoleic acid (C18:2), linolenic acid (C18:3), undecylenic acid.

. . monoacid is selected from the group consisting of butyric acid (C4:0), valeric acid (C5:0), hexanoic acid (C6:0), sorbic acid (C6:2), ascorbic acid, lauric acid (C12), palmitic acid

(C16:0), stearic acid (C18:0), oleic acid (C18:1), linoleic acid (C18:2), linolenic acid (C18:3), undecylenic acid. . .

IT 106-31-0, Butyric anhydride 112-16-3, Lauroyl chloride 112-67-4, Palmitoyl chloride 117-39-5, Quercetin 153-18-4, Rutin 480-18-2